



**VISUAL, VERSATILE
AND VOLUME**



DELI MULTISSERIE

DELI MULTISSERIE

Boost impulse sales

Catch your shopper's eye and boost impulse sales. Front cooking continues to have strong appeal for consumers. Now the ultimate front cooking machine has found its way onto the market. With this ingenious machine, you can cook, roast, regenerate and display all sorts of food, from different cuts of meat to poultry and fish. The Deli Multisserie is a real multifunctional, large-volume, high-speed machine. Your ultimate deli experience!

Visual cooking and merchandising

The Multisserie is nothing less than a revolution in visual cooking and merchandising. Designed to bring extra attention to your products, the Multisserie gives your customers a 270-degree view of the cooking theatre. Built-in halogen lighting ensures a perfect product presentation.



Deli Multisserie

Fast and powerful

The Multisserie cooks up to 50% faster than conventional ovens and rotisseries! Load up to 72 kilograms poultry or any other meat products. The combination of steaming, cooking and convection prepares your food deliciously. The Multisserie is fast, reliable and provides consistent results.

Easy to load

Loading is easy; the rotor positions itself automatically when opening the door. The use of racks means no more spitting.

Full Automatic Cleaning

Lean back with the Full Automatic Cleaning system! Now cleaning can be done overnight without operator intervention. Just select one of the four different cleaning programs and press start. The Full Automatic Cleaning System saves time and effort, reduces labour costs and makes cleaning your equipment a piece of cake!



Deli Multisserie on underframe

Boilerless

Boilers require frequent maintenance and the components often suffer from lime scale deposits. As the Multisserie is a boilerless steamer you directly save a lot on your maintenance costs. The steam in the Multisserie is spread evenly through the preparation room creating a fast and even cook.

Intuitive touch sensitive controls

With its intuitive flat glass control panel with a touch-sensitive wheel, the Multisserie is simple to operate. Its memory offers space for 250 easy-to-select and set programs with up to nine cooking steps per program!

Grease collection system

The operator friendly grease disposal system ensures a hygienic collection of your grease. The grease disposal bag collects all grease during the preparation and cleaning process. Full bags can simply be disposed in a suitable waste container.

“Eye-catching combination of speed and volume”

DELI MULTISERIE

Features:

...Easy loading, no more spitting, accessible from three sides and automatic rotor positioning



...Curved easy-to-clean double glass doors for perfect insulation



... Intuitive controls with memory for 250 programs and nine steps per program



...Cooks up to 50% faster than conventional systems




... Operator friendly and hygienic grease disposal system




... Full Automatic Cleaning system and the optional Fri-Jado XP450 non-stick coating on the accessories save cleaning time and effort





...Combining ultra speed convection with steam creates a real booster with an excellent quality cook



...3-way valve system to separate water and fat



DELI MULTISSERIE



Dimensions

- Width	1008 mm
- Depth	1260 mm
- Height	1145 mm
- Height with underframe	1900 mm
- Net weight Multiseries	267 kg
- Net weight underframe	109 kg


Technical specifications

- Connecting power	21,5 kW
- Voltage	3N~50...60 Hz, 400/230V
- Temperature range	50°C – 250°C
- Water drain required	40 mm
- Water connection required	¾ inch
- Water pressure	minimum 1.5 bar
- Standard fittings	Chicken racks


Options



Underframe on castors



Chicken racks



Meat baskets



Water filtration system

Fri-Jado B.V.
P.O. Box 560
4870 AN Etten-Leur
The Netherlands
Phone +31 76 50 85 400
Fax +31 76 50 85 444
e-mail info@frijado.com
www.frijado.com

* Specifications can change without notice.

www.frijado.com

 **fri-jado**